

| [NODIS Library](#) | [Organization and Administration\(1000s\)](#) | [Search](#) |



NASA Procedural Requirements

COMPLIANCE IS MANDATORY

NPR 1620.2A

Effective Date: October 07,

2015

Expiration Date: October 07,

2020

[Printable Format \(PDF\)](#)

Request Notification of Change (NASA Only)

Subject: Facility Security Assessments

Responsible Office: Office of Protective Services

| [TOC](#) | [Preface](#) | [Chapter1](#) | [Chapter2](#) | [Chapter3](#) | [Chapter4](#) | [AppendixA](#) | [AppendixB](#) | [ALL](#) |

Chapter 4: Transition to NPR 1620.3

4.1.1 Once the FSL determination has been established, the security specialist will move to NPR 1620.3 to implement the countermeasures that are associated with the FSL level. The corresponding FSL number is found at the top of the columns of Chapter 7 in NPR 1620.3. Based on risk to the asset, an appropriate level of protection will be implemented.

| [TOC](#) | [Preface](#) | [Chapter1](#) | [Chapter2](#) | [Chapter3](#) | [Chapter4](#) | [AppendixA](#) | [AppendixB](#)
| [ALL](#) |

| [NODIS Library](#) | [Organization and Administration\(1000s\)](#) | [Search](#) |

DISTRIBUTION:

NODIS

This Document Is Uncontrolled When Printed.

Check the NASA Online Directives Information System (NODIS) Library
to Verify that this is the correct version before use: <http://nodis3.gsfc.nasa.gov>
